



ISA
We Care

FOSHAN ISA LOGISTIC CO.,LTD

Good Price

Better Quality

Suitable Delivery

Perfect Service



ISA
We Care

FOSHAN ISA LOGISTIC CO.,LTD



Catalogue

Tel:+86 18818730044

E-mail:osama@isalogistic.com

Web:<http://www.isalogistic.com>

Address:ROOM 1501,BUILDING 1,JINSELINGYU SQUARE,NO.1 FOPING 3RD ROAD,GUICHENG STREET,NANHAI DISTRICT,FOSHAN,GUANGDONG CHINA


Dental alginate mixer

Feature:

- 1-Streamline modelling, perfect design, smart construction
- 2-electric lock and motor brake gear ensure operational security
- 3-High-power and high-speed motor, fine viscosity and perfect mixture
- 4-Easy to operation, harmonious, no bubbles
- 5-3 programs setting for memory the mixing time
(Install setting: 6, 8, 10 seconds)

Technical:

Voltage:	AC110V 50/60HZ; AC220V 50/60HZ
Consumer power:	350-400W
Wavelength:	420nm-490nm
Timer:	1-16seconds
Revolution:	3000-3600 R.P.M.
Volume(cm)	40x33x45
Weight(kg)/PCS	26.0kg
Packing material	wooden



1. Accelerator built on mixing bowl cap



2. Measure the correct amount of alginate & water for use



3. Close tightly the cap of mixing bowl



4. Place it into the well of Alginate mixer



5. Press down the key "ST/STOP" to start running



6. Take out the mixture by the spatula



DB-988 Made

Hand Made

Amalgamators

Feature:

- 1-This kind of amalgamator, controlled by a microprocessor, ensures a precise, controlled, consistent mix.
- 2-With the width of the oscillating range, the mixing frequency, and your selected time(1-99S).
- 3-It's revolve according to "8" model.
- 4-For mercury-based fillings, trust the performance of DB338 amalgamator. Together, it provides the clinical perfection you need with the ease-of-use you want.
- 5-For safe operation, the DB338 deactivates when you open the front cover to access the capsule.
- 6-Its ergonomic design is easy to use, stable, extremely quiet and easy to clean and maintain

Technical:

Voltage:	220 V / 50 Hz (110 V / 60 Hz are available)
Absorbed power:	200W Fuse 2A
Mixing frequency:	>3400tr/m n (rpm)
Noise:	<65dB
Programmable mixing time:	1-99sec.
Volume(cm)	33x27x20
Weight(kg)/PCS	4.5kg
Packing material	carton



Ultrasonic cleaners

Technical:

Tank capacity	6000ML (1.6 gallon US)	Max.5000ml/1.3gallon (US)
Tank Size	33.1X23.8 X10.5CM/ 13.0"X9.4 "X4.1 "	Min.3350ml / 0.9gallon(US)
Longest Item Fits Inside Tank	34.0CM/13.4"	
Power	290 W (AC100~120V 60Hz) 310W (AC220~240V 50Hz) 270W (AC100V 50/60Hz)	
Digital timer	1 to 30-minute full range timer	
Drainage	Drainage valve	
Ultrasonic Frequency	35,000Hz	
Tank Weight	Stainless steel SU304	
Net Weight	9.3kg/20.7lb	
Gross Weight	10.9kg/24.2lb	
Inner Box Size	50.5x36.0x25.0cm/ 17.2"x11.8"x 9.8 "	
Master Carton Size	52.0 x37.5x 66.0cm/20.0"x14.8"x26.0"	

Ultrasonic cleaners

Technical:

Ultrasonic Frequency	42,000 Hz
Tank Material	Stainless Steel SUS304
Tank Capacity	2500ml
Timer	Digital timer with 5 cycles (180/280/380/480/90 seconds)
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Power	160 W (AC110V-120V); 170W (AC220V-240V)
Unit Size	35X26X23 cm (L x W x H)
Unit N.W.	3KG



Medical cleaning equipment

Feature:

- 1 -Large glass panel
- 2 - Tempered glass, delicate touch, waterproof and dirt resistant, a touch of clean
- 3 - Never aging deformation, bright black panel
- 4 -Touch control, multi-program selection
- 5 - Free operation, worry-free and practical
- 6 -Quality stainless steel liner
- 7 - High quality integrally formed stainless steel liner
- 8 - No deformation, no cracking, no leakage, stronger
- 9 - More durable, more environmentally friendly and safer
- 10 -Professional soundproofing, quiet operation, easier work
- 11 -Specified cleaning: in line with the requirements of new oral disinfection technical specifications, high cleaning quality;
- 12 -Safe and reliable: 70 °C hot water all-round high-pressure water flow 4D main body spray system, effectively remove blood stains;
- 13 - Simple operation: automatic cleaning, avoiding infection and reducing labor intensity;
- 14 -20 dental handpieces are perfectly cleaned at one time to avoid damage to the instrument;
- 15 -Environmental protection and energy saving: less than 12 liters of water per cleaning, less than the amount of water used for manual cleaning.

Technical:

Rated power:	1380W
Waterproof level:	IPX1
Appearance of size:	595*605*550MM
Standard capacity:	103L
The power supply voltage:	220V 50HZ
Energy-saving water (energy) consumption:	8.5L
Feed water pressure:	0.04MPa~1.00MPa
Turning:	30KG
Energy consumption of the standard:	0.7Kw/h



Option: Stainless steel cabinet
Beautiful atmosphere, easy to use



Self-contained sewage
Unique double pump structure with double filter, separate stains, self-discharge



Special water softener
More effective removal of dirt after softening of water



-Dedicated mobile phone cleaning bracket
20pcs dental handpiece can be placed at one time, supporting large capacity



Multi-function dispenser
It can be preset with active cleaning enzyme powder, cleaning agent, brightener, etc. Cleaning according to self-service program



Large capacity,
unlimited can be placed at the same time a variety of oral instruments, so that the placement of tools more reasonable.



Infection Control Products

Professional Infection Control Products Manufacturer

Feature:

High power
Two sets of high-power ultrasonic oscillators
Aerosol particles less than 20um

Large capacity
16L filling capacity, can work continuously for 30 hours

Strong jet
600mL/h spray volume, can cover 100 m² of space

Movable
Particularly suitable for hospitals, clinics, offices.

Technical:

Product Name: Ultrasonic sprayer for disinfection

Rated voltage: 220V~50Hz

Rated power: 60W

Tank capacity: 16.0L

Control mode: intelligent remote control

Timing function: 1-12 hours timing function

Alarm: liquid shortage alarm, shutdown

Protect size (excluding pipe) : 310*310*7 10mm

Weight: 5.4kgs

Ultrasonic sprayer for disinfection
industrial-grade turbine fan strong wind power low energy consumption low noise and mute
While ensuring strong power provide a comfortable and quiet working environment



Our products can cover the aerosol with disinfectant in various occasions
Effectively adsorb and eliminate viruses

Feature:

High power, Two sets of high-power ultrasonic oscillators
Aerosol particles less than 20um

Large capacity, 15L filling capacity, can work continuously for 20 hours

Double jet, Double convection atomizing spray, can cover 90 m² of space

Ultra-thin, Particularly suitable for hospitals, clinics, offices.

Technical:

Product Name: Ultrasonic sprayer for disinfection

Rated voltage: 220V~50Hz

Rated power: 48W

Tank capacity: 15.0L

Maximum spray volume: 600mL/h

Control mode: intelligent remote control

Timing function: 1-12 hours timing function

Alarm: liquid shortage alarm, shutdown

Protect size (excluding pipe) : 830*445* 150mm

Weight: 5.4kgs

Dental mouth opener

Feature:

Apply to strong suction, suitable for two sizes of the strong suction tube.

Food grade PP material. Lighter, will not let the patient feel weight-bearing.

Good toughness. Easy squeezing, perfect fit for patient's mouth.

Powerful suction, say no to cross-infection.

Suitable size, make patient more comfortable.

Technical:

Product Name: Dental mouth opener

Material: Food grade PP

Suction tube Size: Ø11mm Ø16mm

Product Size:

Usage time: Disposable

Color choice: White, Orange, Purple, Blue



High spray
High injection port, Suitable injection angle with slender pipes.
Up to 2m spray distance, is more effective on large occasions

Low spray
Special square design nozzles larger area nozzles can ensure the combination and spread of aerosols and disinfectants more effective in small occasions

Dental aerosol suction system

Feature:


- 1-Pumping--Water vapor filtration--Triple efficient filter element for filtration and deodorization ---Ultraviolet disinfection ---Clean emissions
- 2-Strong absorption of aerosol particles, blood, bacterial droplets, viruses, odor
- 3-500W optimized and stronger negative pressure suctionSuction flow: suction capacity reaches 5.5m³/min, increased by 20%
- 4-Aluminum alloy joint arm + plastic Cardan tube combination The operation is more flexible, and it can be easily adjusted to any suction position, which should be fully sucked;
- 5-Four high efficiency and large capacity ring filter elements, no dead corner filtering, deodorization; The filtration efficiency of activated carbon + HEPA reached 99.96% and the filtration accuracy was <0.3um; The service life of the filter element is more than two times longer than similar products;
- 6-Four way UV kill , more efficient , more thorough kill
- 7-Mute design, noise is less than 60 db
- 8-Intelligent control, remote control
- 9-3 levels of wind speed adjustment
- 10-Imported DC brushless motor,service life can reach 10 years , which saves 43% of the power than similar products.High power High suction, Stable operation and long service life

Technical:


Level:	3
Voltage:	220V
Output Power:	500W
Noise:	≤ 60dBa
Wind speed:	25m/s
Suction volumetric efficiency:	5.5m ³ /min
Filter:	Four
Negative pressure value	-7200Pa
Suction Cup:	PC
Filter Level:	HEPA H13
Product Size:	23KG 320*320*740mm
Package Size:	27KG 500*436*794mm



500W optimized and stronger negative pressure suction
Suction flow: suction capacity reaches 5.5m³/min, increased by 20%




Standard high efficiency HEPA filter element
The filtration efficiency of activated carbon + HEPA is over 99.96%
Filtration accuracy < 0.3um



Four way UV kill, more efficient
more thorough kill



Universal adjustable suction arm,
more convenient to use



360 ° rotation
Imported bearing for smooth rotation



Extending the caster frame inside to
strengthen the center of gravity of the body

Dental aerosol suction system

Feature:

- 1-Pumping--Water vapor filtration--Triple efficient filter element for filtration and deodorization ---UV dual disinfection ---Clean emissions
- 2-Strong absorption of aerosol particles, blood, bacterial droplets, viruses, odor
- 3-500W High power strong negative pressure suction 60mm large diameter suction pipe with suction capacity up to 4.5m³/min Droplets, aerosol inhalation rate more than 99%
- 4-Multi - joint universal aluminum alloy suction arm can be easily adjusted to any direction Transparent diamond-shaped suction mask specially designed for oral cavity without obstructing visual field
- 5-Four high efficiency and large capacity ring filter elements, no dead corner filtering, deodorization; The filtration efficiency of activated carbon + HEPA reached 99.96% and the filtration accuracy was <0.3um; The service life of the filter element is more than two times longer than similar products;
- 6-Dual UV sterilization, Fit the medical sterilization standard Avoid cross-infection
- 7-Mute design, noise is less than 62 db
- 8-Intelligent control, remote control
- 9-5 gears of wind speed adjustment
- 10-Imported DC brushless motor,service life can reach 10 years , which saves 43% of the power than similar products.

Technical:

Level:	5
Voltage:	220V
Output Power:	500W
Noise:	≤ 62dBa
Wind speed:	21m/s
Suction volumetric efficiency:	4.5m ³ /min
Filter:	4 Four
Negative pressure value	-6000Pa
Suction Cup:	PC
Filter Level:	HEPA H13
Product Size:	12.85KG 280*280*500mm
Product Size:	16KG 435*380*650mm



Dual UV sterilization
Fit the medical sterilization
standard Avoid cross-infection




60mm large diameter suction pipe with
suction capacity up to 4.5m³/min
500W High power strong negative pressure suction
Droplets, aerosol inhalation rate more than 99%



Imported DC brushless motor
service life can reach 10 years
which saves 43% of the power
than similar products.



Intelligent control, remote control



First-grade:water vapor
filter cotton
Repeatable washing

Second-grade:oil absorption
lattice filter
element

Three stage:filter element

Four - stage:composite carbon
filter element
Effective adsorption of harmful
gases