

WhatsApp: (+86)188 1873 0044

Email: osama@isalogistic.com

Website: www.isalogistic.com

Add:Room 2201-1,Global International Plaza No.1,Chengmentou West Road,Chancheng District,Foshan City,Guangdong Provinvce,China



# PRODUCT CATALOG ISA WE CARE

**FOSHAN ISA**MEDICAL SUPPLIES CO.,LTD

## JC-D603

ELECTRIC CARE BED WITH THREE COLOMN MOTORS



## JC-D602

ELECTRIC CARE BED WITH THREE COLOMN MOTORS



## JC-D504(PZR)

FIVE FUNCTIONS ELECTRIC CARE BED WITH BUILT IN TOUCH SCREEN CONTROL PANE

## JC-D503(PZR)

FIVE FUNCTIONS ELECTRIC CARE BFD





#### **Related parameters:**

Overall dimension: L2200\*W1030\*H600-1000mm

Back rest tilting: 80°  $\pm\,5^\circ$  , knee board tilting: 40°  $\pm\,5^\circ$ 

Hi-lo adjustment between: 600-1000mm; Reverse and trendelenburg  $15^{\circ} \pm 2^{\circ}$ ;

Tilt to right or left: 15° ± 2°

#### **Options**:

Backup power system (UPS); CPR function;

Medical mattress; dining board; bedside cabinet;

patient file panel; sundries basket

#### Standard configuration:

4pcs/3pcs advanced medical actuators,1pcs

control box,

central-controlled brake system,4pcs luxurious

central locking castors;

1 pair plastic head/foot-end board with built in

control panel;

1 pair PP siderails with built in control panels.

4pcs urine hooks;

1pcs S.S I.V pole;



#### Related parameters:

Overall dimension: L2100\*W980\*H460-720mm

Back rest tilting: 80°±5°, knee board tilting: 40°±5°

Hi-lo adjustment between: 460-720mm;

Reverse and trendelenburg 15°±2°;

#### Standard configuration:

4pcs Advanced medical actuators, 1pcs control

box, 1pcs handset;

central-controlled brake system,4pcs luxurious

central locking castors;

1 pair plastic head/foot-end board;

1 pair PP side rails

4pcs urine hooks;

1pcs S.S I.V pole;

JC-D502(LZ)

FIVE FUNCTIONS ELECTRIC CARE BED





#### Related parameters:

Overall dimension: L2100\*W980\*H460-720mm

Back rest tilting: 80° ±5°,

knee board tilting: 40° ±5°

Hi-lo adjustment between: 460–720mm;

Reverse and trendelenburg  $15^{\circ} \pm 2^{\circ}$ ;



**JC-D309(PZR)** 

THREE FUNCTIONS ELECTRIC CARE BED WITH BUILT IN TOUCH SCREEN CONTROL PANE

#### **Standard configuration:**

4pcs Advanced medical actuators, 1pcs control

box, 1pcs handset;

central-controlled brake system,4pcs luxurious

central locking castors;

1 pair plastic head/foot-end board;

1 pair aluminium siderails

4pcs urine hooks;

1pcs S.S I.V pole;



## JC-D303(LZ)

THREE FUNCTIONS ELECTRIC CARE BED WITH "X"



## JC-D306(LN)

THREE FUNCTIONS ELECTRIC CARE BED





#### **Related parameters:**

Overall dimension: L2100\*W980\*H430-720mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$  , knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 430-720mm

#### Standard configuration:

3pcs Advanced medical actuators, 1pc control box, 1pc handset; central-controlled brake system,

4pcs luxurious central locking castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;



#### **Related parameters:**

Overall dimension: L2100\*W980\*H430-720mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$  , knee board

tilting: 40° ±5°

Hi-lo adjustment between: 430-720mm

#### Standard configuration:

3pcs Advanced medical actuators, 1pc control

box, 1pc handset;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;

## JC-D301(PZ)

THREE FUNCTIONS ELECTRIC CARE BED



#### **Related parameters:**

Overall dimension: L2100\*W1030\*H460-720mm

Back rest tilting: 80° ±5°,

knee board tilting: 40° ±5°

Arree board mining. To 15

Hi-lo adjustment between: 460-720mm



#### Standard configuration:

3 sets manual crank systems;

central-controlled brake system,4pcs luxurious

central locking castors;

1 pair plastic head/foot-end boards;

1 pair Luxurious PP siderails

4pcs urine hooks;

1pcs S.S I.V pole;

JC-D301(PZR)
THREE CRANKS MANUAL CARE BED

REE CRAINES MANOAL CARE BED



## Related parameters:

Overall dimension: L2160\*W980\*H460-720mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ , knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 460-720mm

#### Standard configuration:

3pcs Advanced medical actuators, 1pcs control

box, 1pcs handset;

central–controlled brake system,4pcs luxurious

central locking castors;

1 pair plastic head/foot-end boards;

1 pair PP siderails

4pcs urine hooks;



## JC-D305(LN)

THREE FUNCTIONS SUPER LOW ELECTRIC CARE BED



## JC-D331(LN)

THREE FUNCTIONS ELECTRIC CARE BED





#### **Related parameters:**

Overall dimension: L2100\*W980\*H270-680mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 270-680mm



3pcs Advanced medical actuators

1pc control box, 1pc handset;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;



THREE FUNCTIONS ELECTRIC CARE BED WITH PLASTIC BASE





#### ) I I''' 000 F

**Related parameters:** 

Overall dimension: L2100\*W980\*H430-720mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 430-720mm

#### Standard configuration:

3pcs Advanced medical actuators, 1pc control

box, 1pc handset;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;

JC-D301(FS)

THREE FUNCTIONS TURN OVER CARE BED





Overall dimension: L2200\*W1100\*H380-680mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 380-680mm;

#### Standard configuration:

3pcs Advanced medical actuators, 1pcs control

box, 1pcs handset;

4pcs 4inches castors;

1 pair plastic head/foot-end board;

1 pair PP siderails

4pcs urine hooks;

1pcs S.S I.V pole;



### **Related parameters:**

Overall dimension: L2100\*W1030\*H460-720mm

Back rest tilting: 80° ± 5°, knee board tilting: 40° ± 5°

thee board lilling: 40 ±3

Hi-lo adjustment between: 460-720mm

Turn over:Left and Right (0°  $-80^{\circ}$  )

#### Standard configuration:

3 sets manual crank systems;

central-controlled brake system,4pcs luxurious

central locking castors;

1 pair plastic head/foot-end boards;

1 pair Luxurious PP siderails

4pcs urine hooks;

1pcs S.S I.V pole;



داند سود

## JC-D503(LN)

FIVE OVER ELECTRIC CARE BED



FOUR CRANKS MANUAL CARE BED





#### **Related parameters:**

Overall dimension: L2100\*W980\*H490mm

#### Standard configuration:

4pcs Advanced medical actuators, 1pc control box, 1pc handset:

4pcs luxurious double-face castors;

1 pair PP head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;



#### Related parameters:

Overall dimension: L2100\*W980\*H500-780mm Back rest tilting:  $80^{\circ} \pm 5^{\circ}$  , knee board

tilting: 40° ±5°

Hi-lo adjustment between: 460-720mm. Reverse and trendelenburg  $15^{\circ} \pm 2^{\circ}$ ;

#### Standard configuration:

4 sets manual crank systems;

central-controlled brake system,4pcs luxurious central

locking castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks:

1pcs S.S I.V pole;

# JC-D201(LN)

TWO FUNCTIONS ELECTRIC CARE BED



#### **Related parameters:**

Related parameters:

Overall dimension: L2100\*W980\*H500-780mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ , knee board

tilting: 40° ±5°

Hi-lo adjustment between: 500-780mm.

Reverse and trendelenburg 15° ± 2°

#### Related parameters: Related parameters:

Overall dimension: L2100\*W980\*H490mm Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ , knee board

tilting:  $40^{\circ} \pm 5^{\circ}$ 

#### Standard configuration:

2pcs Advanced medical actuators, 1pc control

box, 1pc handset;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;



#### Standard configuration:

4 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pcs S.S I.V pole;

Options:

Medical mattress; dining

board: bedside cabinet:

patient file panel; sundries basket,





دانی سعد بان

## JC-S304(PN)

THREE CRANKS MANUAL CARE BED

## JC-S206(PN)

FOUR CRANKS MANUAL CARE BED





#### **Related parameters:**

Overall dimension: L2100\*W1030\*H460-720mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 460-720mm

#### Standard configuration:

3 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot—end boards;

1 pair PP siderails

4pcs urine hooks;

1pcs S.S I.V pole;



#### Related parameters:

Overall dimension: L2100\*W980\*H500-780mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ , knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi–lo adjustment between: 460-720mm. Reverse and trendelenburg  $15^{\circ} \pm 2^{\circ}$ ;

#### Standard configuration:

2 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair PP siderails

4pcs urine hooks;

1pcs S.S I.V pole;

\*\*\*\*

JC-S231(LN)

TWO CRANKS MANUAL CARE BED

السد مده



THREE CRANKS MANUAL CARE BED



#### **Related parameters:**

Overall dimension: L2100\*W980\*H460-720mm

Back rest tilting:  $80^{\circ} \pm 5^{\circ}$ knee board tilting:  $40^{\circ} \pm 5^{\circ}$ 

Hi-lo adjustment between: 460-720mm

#### Standard configuration:

3 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair aluminium siderails

4pcs urine hooks;

1pcs S.S I.V pole;



#### Related parameters:

Related parameters:

Overall dimension: L2100\*W980\*H490mm

Back rest filting:  $80^{\circ} \pm 5^{\circ}$  , knee board

tilting:  $40^{\circ} \pm 5^{\circ}$ 

#### Standard configuration :

2 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair Aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;



TWO CRANKS MANUAL CARE BED

## JC-S131(LN)

SINGLE CRANK MANUAL CARE BED





**Related parameters:** 

Overall dimension: L2100\*W1030\*H460-720mm

#### Standard configuration:

2 set manual crank systems; 1 pair plastic head/foot-end boards:

1 pair Aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;

#### **Related parameters:**

Overall dimension: L2100\*W980\*H490mm

Back rest tilting: 80° ±5° .

#### Standard configuration:

I set manual crank systems;

4pcs luxurious castors;

I pair plastic head/foot-end boards:

I pair aluminium siderails

4pcs urine hooks;

Ipc S.S I.V pole;



**Related parameters:** 

Overall dimension: L2100\*W980\*H490mm Back rest tilting: 80° ±5°,

knee board tilting: 40° ±5°

#### Standard configuration:

2 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair Aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;



Related parameters:

Overall dimension: L2100\*W980\*H490mm

#### Standard configuration:

1 set manual crank systems;

1 pair plastic head/foot-end boards;

1 pair Aluminium siderails

4pcs urine hooks:

1pc S.S I.V pole;

JC-S131(L)

SINGLE CRANKS MANUAL CARE BED

Add:Room, 2201-1, Global International Plaza No.1, Chengmentou West Road, Chancheng District, Foshan City, Guangdong Province, China

14

داند ددا

# JC-S332(GK)

FOUR CRANKS MANUAL ORTHOPEDICS BED

## JC-HD351 (LZ)

THREE FUNCTIONS ELECTRIC HOMECARE BED



JC-HD355

داند حمد سان



## **Related parameters:**

Overall dimension: L2200\*W980\*H490-720mm

Back rest tilting: 80° ± 5° knee board tilting: 40° ±5°

Hi-lo adjustment between:490-720mm

#### Standard configuration:

4 sets manual crank systems:

4pcs luxurious castors:

1 pair plastic head/foot—end boards;

1 pair Aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;

1 set orhopedics traction frame;



#### **Related parameters:**

Overall dimension: L2100\*W980\*H460-720mm

Back rest tilting: 80° ± 5° knee board tilting: 40° ±5°

Hi-lo adjustment between: 460-720mm;

#### Standard configuration:

4pcs Advanced medical actuators,

1pc control box, 1pc handset:

central-controlled brake system,4pcs luxurious

central locking castors;

1 pair Luxurious wood head/foot-end board:

1 pair Luxurious wood and aluminium siderails

THREE FUNCTIONS ELECTRIC HOMECARE BED

4pcs urine hooks:

1pc S.S I.V pole;



FOUR CRANKS MANUAL ORTHOPEDICS BED



Back rest tilting: 80° ±5°. knee board tilting: 40° ±5°

Hi-lo adjustment between: 460-720mm

#### Standard configuration:

3pcs Advanced medical actuators,

1pcs control box. 1pcs handset:

4pcs luxurious castors;

1 pair wood head/foot-end boards;

1 pair wood side rails

4pcs urine hooks:

1pc S.S I.V pole;

#### **Related parameters:**

Overall dimension: L2200\*W980\*H490-720mm

Back rest tilting: 80° ±5° knee board tilting: 40° ±5°

Hi-lo adjustment between:490-720mm

#### Standard configuration:

4 sets manual crank systems;

4pcs luxurious castors;

1 pair plastic head/foot-end boards;

1 pair Aluminium siderails

4pcs urine hooks;

1pc S.S I.V pole;

1 set orhopedics traction frame;



## JC-ES001

#### LUXURIOUS MANUAL EMERGENCY STRECHER



#### **Related parameters:**

L193\*W64\*H45-84CM

#### Standard configuration:

One set manual crank system One set rise and fall gas spring

European style bedside rail

4pcs luxurious central locking castors

One directional castor

One oxygen cylinder holder

Two IV drip holes

One IV. One mattress



## JC-BC603

**BABY CART** 

**JC-BB100** 

SIZE: 85\*55\*95CM



#### JC-CB100

JC-BC604

**BABY CART** 

SIZE:90\*50\*68-88CM

ONE CRANK POWDER-COATED STEEL CHILD BED

SIZE: 160\*92\*92CM



#### **Related parameters:**

SIZE: L193\*W64\*H63-93CM

#### Standard configuration:

One set manual crank system

One set rise and fall gas spring

European style bedside rail

4pcs luxurious central locking castors

One directional castor

One oxygen cylinder holder

Two IV drip holes

One IV. One mattress



JC-S431(GK) CONNECTING STRECHER



JC-F\$100

HIGH QUALITY ALUMINIUM

STAINLESS STEEL BABY BED

SIZE: 185\*51\*24CM



#### JC-FS102

**FOLDING STRECHER** 

SIZE: 190\*50\*20CM



#### **EMERGENCY TROLLEY** JC-ET003

SIZE: L: 85\*52\*96CM / S: 75\*48\*92CM SPECIFICATION: MAINLY MADE OF PLASTIC. ALUMINIUM AND STEEL ABS TOP BOARD, EASY TO CLEAN FOUR COLOUMNS PLASTIC-STEEL COLUMNS BOTH SIDES ARE EQUIPPED WITH A TELESCOPIC PLATEN.



#### JC-ETOO1B EMERGENCY TROLLEY

SIZE: 68\*48\*92CM

MAINLY MADE OF PLASTIC , ALUMINIUM AND STEEL ABS TOP BOARD, EASY TO CLEAN FOUR COLOUMNS PLASTIC-STEEL COLUMNS

BOTH SIDES ARE EQUIPPED WITH A TELESCOPIC PLATEN



JC-MRCOO1 MEDICAL RECORD TROLLEY

SIZE: 75\*41\*95CM SPECIFICATION: TWO ROWS WITH 40 LAYERS



STAINLESS STEEL **NURSING CART** 

SIZE: 90\*50\*90CM



STAINLESS STEEL **NURSING CART** 

SIZE: 70\*40\*90CM



TREATMENT TROLLEY

SIZE: 75\*45\*85CM



#### JC-ETOO2F EMERGENCY TROLLEY

SIZE: 68\*48\*92CM

MAINLY MADE OF PLASTIC, ALUMINIUM AND STEEL

ABS TOP BOARD, EASY TO CLEAN

FOUR COLOUMNS

PLASTIC-STEEL COLUMNS

BOTH SIDES ARE EQUIPPED WITH A TELESCOPIC PLATEN.



#### **JC-TT003 TRANSFUSION TROLLEY**

SIZE: 67\*47\*94CM

SPECIFICATION: MAINLY MADE OF PLASTIC,

ALUMINIUM AND STEEL

ABS TOP BOARD, EASY TO CLEAN

FOUR COLOUMNS PLASTIC-STEEL COLUMNS



#### JC-ST-A1 **PNEUMATIC PRESSURE STOOL**

SIZE: 31\* (50~69) CM

MATERIAL:

CHROMED PLATED BASE, PU SEAT



#### JC-SS100 STAINLESS STEEL STRECHER

MATERIAL:

STAINLESS STEEL STRECHER

SIZE: 195\*57\*65CM



JC-ST-A1 GYNECOLOGICAL **EXAMINATION BED** 

SIZE: 190\*50\*76CM MATERIAL: STAINLESS STEEL